ELSEVIER

Journal of Crystal Growth 172 (1997) 531–535

JOURNAL OF CRYSTAL GROWTH

Author index

Abell, J.S., see Yeadon, M. 172 (1997) 145
Abell, J.S., see Bi, Y.J. 172 (1997) 440
Aindow, M., see Yeadon, M. 172 (1997) 145
Ainger, F.W., see Erdei, S. 172 (1997) 466
Amano, C., see Tateno, K. 172 (1997) 5
Amelinckx, S., see Bernaerts, D. 172 (1997) 433
Archibald, D.D., B.P. Gaber, J.D. Hopwood, S. Mann and T. Boland, Atomic force microscopy of synthetic barite microcrystals 172 (1997) 231
Arnold, W.A., D. Matthiesen, R.J. Bennett and D.T. Jayne, An innovative method for preparing semiconductor charges used in crystal growth and shear cell diffusion experiments 172 (1997) 450
Assadi, H. and A.L. Greer, The interfacial undercooling in solidification 172 (1997) 249

Ballantyne, J.M., see Lee, J.-W. 172 (1997) 53
Barilo, S.N., see Shiryaev, S.V. 172 (1997) 396
Bartels, A., see Peiner, E. 172 (1997) 44
Bassignana, I.C., D.A. Macquistan, R.W. Streater, G.C. Hillier, R. Packwood and V. Moore, Setting limits on the accuracy of X-ray determination of Al concentration in AlGaAs/GaAs epitaxial layers 172 (1997) 25
Bennett, R.J., see Arnold, W.A. 172 (1997) 450
Bermúdez, V., P.S. Dutta, M.D. Serrano and E. Diéguez, Effect of crystal composition on the domain structure of $LiNbO_3$ grown from Li-rich melts by the Czochralski technique 172 (1997) 269
Bernaerts, D., S. Amelinckx, G. Van Tendeloo and J. Van Landuyt, Microstructure and formation mechanism of cylindrical and conical scrolls of the misfit layer compounds $PbNb_nS_{2n+1}$ 172 (1997) 433
Bertru, N., see Nouaoura, M. 172 (1997) 37
Bi, Y.J. and J.S. Abell, Microstructural characterisation of Terfenol-D crystals prepared by the Czochralski technique 172 (1997) 440
Blank, E., see Michler, J. 172 (1997) 404
Boland, T., see Archibald, D.D. 172 (1997) 231
Boldyreva, O.M., see Moshkin, S.V. 172 (1997) 226
Bonnet, J., see Nouaoura, M. 172 (1997) 37
Bradaczek, H., see Moshkin, S.V. 172 (1997) 226
Brunhuber, D., see Kastner, M.J. 172 (1997) 64

Campos, C., see Sasaki, J.M. 172 (1997) 284
Cardoso, L.P., see Sasaki, J.M. 172 (1997) 284
Chen, J., S. Li, F. Yang, J. Wang and I.D. Williams, Growth kinetics and mechanism of glucuronic acid lactone 172 (1997) 508
Chen, Y., J. Pan and X. Huang, The effect of deposition temperature on the growth of TiC whiskers by the vapor–liquid–solid mechanism 172 (1997) 171
Choi, B.W., see Wadley, H.N.G. 172 (1997) 323
Choi, K., S.-J.L. Kang, H.M. Jang and N.M. Hwang, Nucleation behavior in the presence of charge in the CVD diamond process 172 (1997) 416
Clark, G.F., see Sasaki, J.M. 172 (1997) 284
Cohen, H., see Mayer, I. 172 (1997) 219
Colin, T., see Skauli, T. 172 (1997) 97
Cuisinier, F.J.G., see Mayer, I. 172 (1997) 219

Da Silva, F.W.O., see Nouaoura, M. 172 (1997) 37
De Keyzer, R., see Goessens, C. 172 (1997) 426
Derby, J.J., see Kuppurao, S. 172 (1997) 350
Dettmer, K., see Peiner, E. 172 (1997) 44
Deufel, M., see Kastner, M.J. 172 (1997) 64
Dharmasena, K.P. and H.N.G. Wadley, Eddy current sensor concepts for the Bridgman growth of semiconductors 172 (1997) 303
Dharmasena, K.P., see Wadley, H.N.G. 172 (1997) 313
Dharmasena, K.P. and H.N.G. Wadley, Eddy current sensing of vertical Bridgman growth of $Cd_{0.96}Zn_{0.04}Te$ 172 (1997) 337
Diéguez, E., see Bermúdez, V. 172 (1997) 269
Dietrich, T., R. Schlesser, B. Erler, A. Kündig, Z. Sitar and P. Günter, Epitaxial growth of nonlinear optical 4′-nitrobenzylidene-3-acetamino-4-methoxy-aniline thin films on ethylenediammonium terephthalate single crystals 172 (1997) 473
Dorsch, W., see Michler, J. 172 (1997) 404
Doumae, Y., see Yang, B. 172 (1997) 370
Drummond, J.N., see Hurley, L.A. 172 (1997) 499
Durst, F., L. Kadinski, Yu.N. Makarov, M. Schäfer, M.G. Vasil'ev and V.S. Yuferev, Advanced mathematical models for simulation of radiative heat transfer in CVD reactors 172 (1997) 389

Dutta, P.S., see Bermúdez, V. 172 (1997) 269
Dynowska, E., see Miotkowska, S. 172 (1997) 455

Emerson, D., see Lee, J.-W. 172 (1997) 53
Erdei, S., B.M. Jin, F.W. Ainger, B. Keszei, J. Vandlik and A. Süveges, Possible trends for the growth of low scattering Nd : YVO_4 laser crystals; phase relations – growth techniques 172 (1997) 466
Erler, B., see Dietrich, T. 172 (1997) 473

Ferid, T. and M. Saji, Transport properties in gallium doped CdTe MOVPE layers 172 (1997) 83
Frangis, N., J. Van Landuyt, G. Kaltsas, A. Travlos and A.G. Nassiopoulos, Growth of erbium-silicide films on (100) silicon as characterised by electron microscopy and diffraction 172 (1997) 175
Fraxedas, J., see Torras, J. 172 (1997) 106

Gaber, B.P., see Archibald, D.D. 172 (1997) 231
Gallagher, H.G., see Scott, M.A. 172 (1997) 190
Garti, N. and H. Zour, The effect of surfactants on the crystallization and polymorphic transformation of glutamic acid 172 (1997) 486
Gatalskaya, V.I., see Shiryaev, S.V. 172 (1997) 396
Gebhardt, W., see Kastner, M.J. 172 (1997) 64
Gedridge Jr., R.W., see Ryu, H.H. 172 (1997) 1
Georgieva, J.K., see Shumov, D.P. 172 (1997) 478
Goessens, C., D. Schryvers, J. Van Landuyt and R. De Keyzer, Electron microscopical investigation of tetrahedral-shaped AgBr microcrystals 172 (1997) 426
Gorostiza, P., see Sangwal, K. 172 (1997) 209
Greer, A.L., see Assadi, H. 172 (1997) 249
Groshens, T.J., see Ryu, H.H. 172 (1997) 1
Gukasov, A., see Henkie, Z. 172 (1997) 459
Günter, P., see Dietrich, T. 172 (1997) 473

Hahn, B., see Kastner, M.J. 172 (1997) 64
Han, T.P.J., see Scott, M.A. 172 (1997) 190
Hara, K., see Hirose, S. 172 (1997) 13
Henderson, B., see Scott, M.A. 172 (1997) 190
Henkie, Z., P. Wiśniewski and A. Gukasov, U_3Bi_4 single crystal growth by the molten metal solution evaporation method 172 (1997) 459
Hillier, G.C., see Bassignana, I.C. 172 (1997) 25
Hirose, S., N. Kano, K. Hara, H. Munekata and H. Kukimoto, Atomic layer epitaxy of AlAs and $(AlAs)_n(GaAs)_n$ superlattices with a new aluminum source ethyldimethylamine alane 172 (1997) 13
Hollfelder, M., see Peiner, E. 172 (1997) 44
Hong, K.J., see Jeong, T.S. 172 (1997) 89
Hopwood, J.D., see Archibald, D.D. 172 (1997) 231
Huang, X., see Chen, Y. 172 (1997) 171
Hulliger, J., see Rogin, P. 172 (1997) 200
Hurley, L.A., A.G. Jones and J.N. Drummond, Growth and dissolution kinetics of cyanazine crystals in aqueous ethanol solutions 172 (1997) 499
Hwang, N.M., see Choi, K. 172 (1997) 416

Iber, H., see Peiner, E. 172 (1997) 44
Iga, K., see Loh, T.H. 172 (1997) 291
Ishikawa, Y., see Yang, B. 172 (1997) 370
Isshiki, M., see Yang, B. 172 (1997) 370
Ivanova, T.I., see Moshkin, S.V. 172 (1997) 226

Jang, H.M., see Choi, K. 172 (1997) 416
Jayne, D.T., see Arnold, W.A. 172 (1997) 450
Jedrzejczak, A., see Miotkowska, S. 172 (1997) 455
Jeong, T.S., P.Y. Yu, Y.J. Shin, C.J. Youn, H.K. Shin, T.S. Kim, H. Lee, T.S. Lee and K.J. Hong, The characterization of ZnSe/GaAs epilayers grown by hot wall epitaxy 172 (1997) 89
Jin, B.M., see Erdei, S. 172 (1997) 466
Jin, X. and J. Liang, Kinetics and transport model for the chemical vapor epitaxy of Ge_xSi_{1-x} 172 (1997) 381
Jones, A.G., see Hurley, L.A. 172 (1997) 499
Joyce, B.A., see Taylor, A.G. 172 (1997) 275

Kachniarz, J., see Miotkowska, S. 172 (1997) 455
Kadinski, L., see Durst, F. 172 (1997) 389
Kaltsas, G., see Frangis, N. 172 (1997) 175
Kang, S.-J.L., see Choi, K. 172 (1997) 416
Kano, N., see Hirose, S. 172 (1997) 13
Kastner, M.J., G. Leo, D. Brunhuber, A. Rosenauer, H. Preis, B. Hahn, M. Deufel and W. Gebhardt, Investigations on strain relaxation of ZnS_xSe_{1-x} layers grown by metalorganic vapor phase epitaxy 172 (1997) 64
Katz, E.A. and L.E. Polyak, Crystal–melt interface near grain boundaries during growth of shaped silicon crystals 172 (1997) 115
Kawaguchi, K., G. Pindoria, R. Kita, M. Nishiyama and T. Morishita, Molecular beam epitaxy growth of $Sr_{1-x}CuO_{2-y}$ infinite-layer thin films using a mass-separated low-energy O^+ beam 172 (1997) 156
Kawanaka, T., see Okada, H. 172 (1997) 361
Keszei, B., see Erdei, S. 172 (1997) 466
Kim, T.S., see Jeong, T.S. 172 (1997) 89
Kishimoto, Y., see Maruyama, M. 172 (1997) 521
Kita, R., see Kawaguchi, K. 172 (1997) 156
Koch, A., see Peiner, E. 172 (1997) 44
Kohama, Y., see Tateno, K. 172 (1997) 5
Koukitu, A., see Takahashi, N. 172 (1997) 298
Koyama, F., see Loh, T.H. 172 (1997) 291
Koyava, V.T., see Shiryaev, S.V. 172 (1997) 396
Kukimoto, H., see Hirose, S. 172 (1997) 13
Kündig, A., see Dietrich, T. 172 (1997) 473

Kuppurao, S. and J.J. Derby, Designing thermal environments to promote convex interface shapes during the vertical Bridgman growth of cadmium zinc telluride 172 (1997) 350
Kuz'mina, M.A., see Moshkin, S.V. 172 (1997) 226
Kyutt, R.N., see Moshkin, S.V. 172 (1997) 226

Lassabatere, L., see Nouaoura, M. 172 (1997) 37
Leam, J.Y., see Lee, H.J. 172 (1997) 18
Lee, H., see Jeong, T.S. 172 (1997) 89
Lee, H.G., see Lee, H.J. 172 (1997) 18
Lee, H.J., H. Ryu, J.Y. Leam, S.K. Noh, H.G. Lee and S. Nahm, Structural defects in the growth of multiple periods of InAs quantum dots on a GaAs substrate 172 (1997) 18
Lee, J.-W., J. Salzman, D. Emerson, J.R. Shealy and J.M. Ballantyne, Selective area growth of GaP on Si by MOCVD 172 (1997) 53
Lee, T.S., see Jeong, T.S. 172 (1997) 89
Leo, G., see Kastner, M.J. 172 (1997) 64
Li, S., see Chen, J. 172 (1997) 508
Liang, J., see Jin, X. 172 (1997) 381
Loh, T.H., T. Miyamoto, T. Takada, F. Koyama and K. Iga, Design and characterization of InAsP/InP/GaInP short-period superlattices for long-wavelength multi-quantum barrier grown by chemical beam epitaxy 172 (1997) 291
Løvold, S., see Skauli, T. 172 (1997) 97

Ma, N. and J.S. Walker, Dopant transport during semiconductor crystal growth with magnetically damped buoyant convection 172 (1997) 124
Macicek, J.J., see Shumov, D.P. 172 (1997) 478
Macquistan, D.A., see Bassignana, I.C. 172 (1997) 25
Makarov, Yu.N., see Durst, F. 172 (1997) 389
Mann, S., see Archibald, D.D. 172 (1997) 231
Maruyama, M., Y. Kishimoto and T. Sawada, Optical study of roughening transition on ice I_h $(10\bar{1}0)$ planes under pressure 172 (1997) 521
Matsumoto, T., see Saito, Y. 172 (1997) 163
Matthiesen, D., see Arnold, W.A. 172 (1997) 450
Mayer, I., H. Cohen, J.C. Voegel and F.J.G. Cuisinier, Synthesis, characterization and high temperature analysis of Al-containing hydroxyapatites 172 (1997) 219
Michler, J., J. Stiegler, Y. von Kaenel, P. Moeckli, W. Dorsch, D. Stenkamp and E. Blank, Microstructure evolution and non-diamond carbon incorporation in CVD diamond thin films grown at low substrate temperatures 172 (1997) 404
Miki, T., see Yang, B. 172 (1997) 370
Miklyaev, Y.A., see Salnick, Z.A. 172 (1997) 120
Miotkowska, S., J. Kachniarz, E. Dynowska, T. Story and A. Jedrzejczak, Solubility limit of Mn in the semimagnetic semiconductor $Pb_{1-x-y}Sn_xMn_yTe$ 172 (1997) 455
Miyamoto, T., see Loh, T.H. 172 (1997) 291
Mo, S., see Peiner, E. 172 (1997) 44
Moeckli, P., see Michler, J. 172 (1997) 404
Moore, V., see Bassignana, I.C. 172 (1997) 25
Morishita, T., see Kawaguchi, K. 172 (1997) 156
Moshkin, S.V., O.M. Boldyreva, T.I. Ivanova, M.A. Kuz'mina, I.P. Shakhverdova, P.V. Petrashen', R.N. Kyutt and H. Bradaczek, Growing delta-crystals of potassium–rubidium biphthalate from aqueous solution 172 (1997) 226
Motozawa, M., see Sakurai, F. 172 (1997) 75
Munekata, H., see Hirose, S. 172 (1997) 13

Nahm, S., see Lee, H.J. 172 (1997) 18
Nassiopoulos, A.G., see Frangis, N. 172 (1997) 175
Naumov, A.V., see Salnick, Z.A. 172 (1997) 120
Nenov, A.T., see Shumov, D.P. 172 (1997) 478
Nguyen, T.N. and H.-C. zur Loye, Electrosynthesis in hydroxide melts 172 (1997) 183
Nihtianova, D.D., see Shumov, D.P. 172 (1997) 478
Nikolov, V.S., see Shumov, D.P. 172 (1997) 478
Nishikubo, K., see Saito, Y. 172 (1997) 163
Nishiyama, M., see Kawaguchi, K. 172 (1997) 156
Nishizawa, J.-i., see Sakurai, F. 172 (1997) 75
Noh, S.K., see Lee, H.J. 172 (1997) 18
Nouaoura, M., F.W.O. Da Silva, N. Bertru, M. Rouanet, A. Tahraoui, W. Oueini, J. Bonnet and L. Lassabatere, Modification of GaSb(100) surfaces induced by annealing under vacuum and under Sb_4 and As_4 flux 172 (1997) 37

Ogasawara, J., see Takahashi, N. 172 (1997) 298
Ohmoto, S., see Okada, H. 172 (1997) 361
Ohyama, T., see Yang, B. 172 (1997) 370
Okada, H., T. Kawanaka and S. Ohmoto, Melt growth of ZnSe single crystals with B_2O_3 encapsulant: the role of solid–solid phase transformation on macro defect generation in ZnSe crystals 172 (1997) 361
Orlova, N.S., see Shiryaev, S.V. 172 (1997) 396
Oueini, W., see Nouaoura, M. 172 (1997) 37

Packwood, R., see Bassignana, I.C. 172 (1997) 25
Pan, J., see Chen, Y. 172 (1997) 171
Pan, V.M., see Shiryaev, S.V. 172 (1997) 396
Pantos, E., see Sasaki, J.M. 172 (1997) 284
Peiner, E., H.-H. Wehmann, H. Iber, S. Mo, G.-P. Tang, A. Bartels, A. Schlachetzki, A. Koch, K. Dettmer and M. Hollfelder, High-quality $In_{0.53}Ga_{0.47}As$ on exactly (001)-oriented Si grown by metal-organic vapour-phase epitaxy 172 (1997) 44
Pemble, M.E., see Taylor, A.G. 172 (1997) 275
Petrashen', P.V., see Moshkin, S.V. 172 (1997) 226
Phomichev, A.V., see Salnick, Z.A. 172 (1997) 120
Pindoria, G., see Kawaguchi, K. 172 (1997) 156
Polyak, L.E., see Katz, E.A. 172 (1997) 115

Preis, H., see Kastner, M.J. 172 (1997) 64
Pushkarev, A.V., see Shiryaev, S.V. 172 (1997) 396

Ricart, J.M., see Torras, J. 172 (1997) 106
Roberts, K.J., see Sasaki, J.M. 172 (1997) 284
Rogin, P. and J. Hulliger, Growth of $LiYF_4$ by the seeded vertical gradient freezing technique 172 (1997) 200
Rosenauer, A., see Kastner, M.J. 172 (1997) 64
Rouanet, M., see Nouaoura, M. 172 (1997) 37
Ryu, H., see Lee, H.J. 172 (1997) 18
Ryu, H.H., L.P. Sadwick, G.B. Stringfellow, R.W. Gedridge Jr. and T.J. Groshens, Chemical beam epitaxy of InP without precracking using tertiarybutylbis(dimethylamino)phosphine 172 (1997) 1

Sacilotti, M.A., see Sasaki, J.M. 172 (1997) 284
Sadwick, L.P., see Ryu, H.H. 172 (1997) 1
Saito, Y., T. Matsumoto and K. Nishikubo, Encapsulation of carbides of chromium, molybdenum and tungsten in carbon nanocapsules by arc discharge 172 (1997) 163
Saji, M., see Ferid, T. 172 (1997) 83
Sakurai, F., M. Motozawa, K. Suto and J.-i. Nishizawa, Liquid phase epitaxial p-type ZnSe growth from a Se solution and fabrication of pn junctions with diffused n-type layers 172 (1997) 75
Salnick, O.S., see Salnick, Z.A. 172 (1997) 120
Salnick, Z.A., Y.A. Miklyaev, O.S. Salnick, A.V. Naumov and A.V. Phomichev, Untraditionally doped Cz-grown silicon for power devices 172 (1997) 120
Salzman, J., see Lee, J.-W. 172 (1997) 53
Sangwal, K., J. Torrent-Burgues, F. Sanz and P. Gorostiza, Atomic force microscopic study of step bunching and macrostep formation during the growth of L-arginine phosphate monohydrate single crystals 172 (1997) 209
Sanz, F., see Sangwal, K. 172 (1997) 209
Sasaki, J.M., L.P. Cardoso, C. Campos, K.J. Roberts, G.F. Clark, E. Pantos and M.A. Sacilotti, Synchrotron radiation multiple diffraction study of $Al_{0.304}Ga_{0.172}In_{0.524}As$ MOVPE grown onto InP(001) 172 (1997) 284
Sawada, T., see Maruyama, M. 172 (1997) 521
Schäfer, M., see Durst, F. 172 (1997) 389
Schlachetzki, A., see Peiner, E. 172 (1997) 44
Schlesser, R., see Dietrich, T. 172 (1997) 473
Schryvers, D., see Goessens, C. 172 (1997) 426
Scott, M.A., H.G. Gallagher, T.P.J. Han and B. Henderson, Growth of multisite-free $Nd^{3+}:Sr_{10}(VO_4)_6F_2$ crystals for applications in diode-pumped lasers 172 (1997) 190
Serrano, M.D., see Bermúdez, V. 172 (1997) 269
Shakhverdova, I.P., see Moshkin, S.V. 172 (1997) 226
Shealy, J.R., see Lee, J.-W. 172 (1997) 53
Shestac, A.S., see Shiryaev, S.V. 172 (1997) 396
Shin, H.K., see Jeong, T.S. 172 (1997) 89
Shin, Y.J., see Jeong, T.S. 172 (1997) 89
Shiryaev, S.V., S.N. Barilo, N.S. Orlova, D.I. Zhigunov, A.S. Shestac, V.T. Koyava, V.I. Gatalskaya, A.V. Pushkarev, V.M. Pan and V.F. Solovjov, Epitaxial growth of single crystal films of $Ba_{1-x}K_xBiO_{3+y}$ superconductors 172 (1997) 396
Shumov, D.P., V.S. Nikolov, D.D. Nihtianova, J.J. Macicek, J.K. Georgieva and A.T. Nenov, High-temperature solutions suitable for the growth of $NdAl_3(BO_3)_4$ crystals 172 (1997) 478
Sitar, Z., see Dietrich, T. 172 (1997) 473
Skauli, T., T. Colin and S. Løvold, Mapping of CdZnTe substrates and CdHgTe epitaxial layers by X-ray diffraction 172 (1997) 97
Solovjov, V.F., see Shiryaev, S.V. 172 (1997) 396
Stenkamp, D., see Michler, J. 172 (1997) 404
Stiegler, J., see Michler, J. 172 (1997) 404
Story, T., see Miotkowska, S. 172 (1997) 455
Streater, R.W., see Bassignana, I.C. 172 (1997) 25
Stringfellow, G.B., see Ryu, H.H. 172 (1997) 1
Sugiyama, N., High concentration n-type doping in Si layers epitaxially grown by ultra-high vacuum chemical vapor deposition with cracking heater 172 (1997) 376
Sun, Y.-M., see Wang, J.-M. 172 (1997) 514
Suto, K., see Sakurai, F. 172 (1997) 75
Süveges, A., see Erdei, S. 172 (1997) 466

Tahraoui, A., see Nouaoura, M. 172 (1997) 37
Takada, T., see Loh, T.H. 172 (1997) 291
Takahashi, N., J. Ogasawara and A. Koukitu, Vapor phase epitaxy of InN using InCl and $InCl_3$ sources 172 (1997) 298
Tang, G.-P., see Peiner, E. 172 (1997) 44
Tateno, K., Y. Kohama and C. Amano, Carbon doping and etching effects of CBr_4 during metalorganic chemical vapor deposition of GaAs and AlAs 172 (1997) 5
Taylor, A.G., A.R. Turner, M.E. Pemble and B.A. Joyce, Dynamic reflectance anisotropy and reflectance measurements of the deposition of Si on GaAs(001)-c(4 × 4) 172 (1997) 275
Torras, J., J.M. Ricart, P. Vilarrubias and J. Fraxedas, Cluster model study of the chemisorption of atomic carbon on Si(100) surfaces 172 (1997) 106
Torrent-Burgues, J., see Sangwal, K. 172 (1997) 209
Travlos, A., see Frangis, N. 172 (1997) 175
Turner, A.R., see Taylor, A.G. 172 (1997) 275

Vandlik, J., see Erdei, S. 172 (1997) 466
Van Enckevort, W.J.P., see Verheijen, M.A. 172 (1997) 136
Van Landuyt, J., see Frangis, N. 172 (1997) 175
Van Landuyt, J., see Goessens, C. 172 (1997) 426

Van Landuyt, J., see Bernaerts, D. 172 (1997) 433
Van Tendeloo, G., see Bernaerts, D. 172 (1997) 433
Vasil'ev, M.G., see Durst, F. 172 (1997) 389
Vdovin, V.I., Nature and origin of pure edge dislocations in low mismatched epitaxial structures 172 (1997) 58
Verheijen, M.A. and W.J.P. van Enckevort, Mechanism of C_{60} crystal growth from the vapour 172 (1997) 136
Vilarrubias, P., see Torras, J. 172 (1997) 106
Voegel, J.C., see Mayer, I. 172 (1997) 219
Von Kaenel, Y., see Michler, J. 172 (1997) 404

Wadley, H.N.G., see Dharmasena, K.P. 172 (1997) 303
Wadley, H.N.G. and K.P. Dharmasena, Methods for liquid–solid interface shape and location discrimination during eddy current sensing of Bridgman growth 172 (1997) 313
Wadley, H.N.G., see Dharmasena, K.P. 172 (1997) 337
Wadley, H.N.G. and B.W. Choi, Eddy current determination of the electrical conductivity–temperature relation of $Cd_{1-x}Zn_xTe$ alloys 172 (1997) 323
Walker, J.S., see Ma, N. 172 (1997) 124
Wang, J., see Chen, J. 172 (1997) 508
Wang, J.-M., Y.-M. Sun and M.-C. Wu, High-quality $Ga_{1-x}In_xAs_ySb_{1-y}$ quaternary layers grown from antimonide-rich solutions by liquid-phase epitaxy 172 (1997) 514
Wehmann, H.-H., see Peiner, E. 172 (1997) 44
Wellhöfer, F., see Yeadon, M. 172 (1997) 145
Williams, I.D., see Chen, J. 172 (1997) 508
Wiśniewski, P., see Henkie, Z. 172 (1997) 459
Wu, M.-C., see Wang, J.-M. 172 (1997) 514

Yang, B., Y. Ishikawa, Y. Doumae, T. Miki, T. Ohyama and M. Isshiki, Growth and characterization of high purity CdTe single crystals 172 (1997) 370
Yang, F., see Chen, J. 172 (1997) 508
Yeadon, M., M. Aindow, F. Wellhöfer and J.S. Abell, Topographical development and misfit relief in laser-ablated heteroepitaxial $YBa_2Cu_3O_{7-\delta}$ thin films 172 (1997) 145
Youn, C.J., see Jeong, T.S. 172 (1997) 89
Yu, P.Y., see Jeong, T.S. 172 (1997) 89
Yuferev, V.S., see Durst, F. 172 (1997) 389

Zhigunov, D.I., see Shiryaev, S.V. 172 (1997) 396
Zour, H., see Garti, N. 172 (1997) 486
Zur Loye, H.-C., see Nguyen, T.N. 172 (1997) 183
Zytkiewicz, Z.R., Joule effect as a barrier for unrestricted growth of bulk crystals by liquid phase electroepitaxy 172 (1997) 259

ELSEVIER

Journal of Crystal Growth 172 (1997) 536–537

JOURNAL OF CRYSTAL GROWTH

Subject index

Computer simulation
– of carbon chemisorption on silicon (100) 106
– of metalorganic chemical vapor deposition 389
– of reciprocal space 64
Convection 124, 200

Defects
– in diamond films 404
– in III–V compounds 58
Device characterization
– diodes 44, 75
– electronic materials 25, 37, 97
– light sensitivity 426
– quantum wells and dots 18
– superlattices 13, 291
Diamond 404, 416
Diffusional control
– of dopants 124
– of solidification 249
Diodes, see Device characterization
Doping
– of carbon in aluminum arsenide 5
– of carbon in gallium arsenide 5
– of manganese in lead tin telluride 455

Electronic materials, see Device characterization
Epitaxy, see Thin film growth
Etching
– chemical 5, 83, 269

Fullerene 136

Hydrodynamics, see Convection

Kinetics
– of growth 83, 249, 275, 381, 426, 499, 508, 521
– of nucleation 416

Lasers, crystals for
– neodymium yttrium vanadate 466
– yttrium lithium fluoride 200

Melt growth technique
– by Bridgman–Stockbarger method
– – of cadmium telluride 303, 313, 323
– – of cadmium zinc telluride 323, 337, 350
– – of gallium arsenide 313
– – of lead tin manganese telluride 455
– – of zinc selenide 361
– by Czochralski method
– – of lithium niobate 269
– – of silicon 120
– – of strontium fluoro vanadate 190
– – of terfenol-D 440
– by edge defined film fed
– – of silicon 115
– by uniaxial solidification
– – of yttrium lithium fluoride 200
Morphological stability
– of yttrium barium copper oxide 145

Nucleation
– of diamond 416
– of gallium phosphide 53
– of yttrium barium copper oxide 145
Numbers
– Grashof 124
– Hartmann 124
– Peclet 124

Quantum wells and dots, see Device characterization

Silicon 115
Solution growth technique
– by flux method
– – of neodymium aluminum borate 478
– by low temperature method
– – of glucoronic acid lactone 508
– – of glutamic acid 486
– – of hydroxy apatite 219
– – of L-arginine phosphate monohydrate 209
– – of potassium rubidium biphthatalate 226
– – of silver bromide 426
– by molten metal evaporation
– – of triuranium tetrabismuthide 459
– by pressure jump
– – of ice 521
– by top seeded solution
– – of yttrium vanadate 466
Stefan problem or moving boundary problem
– of dopants 124

Superconductivity materials, high T_c
– film
– – of barium potassium bismuthates 396
Superlattices, see Device characterization
Superlattices, multilayers
– of lead niobium sulphides 433
– of III–V compounds 13, 18
Surface structure
– of C_{60} 136
– of diamond films 404
– of gallium antimonide 37
– of silicon 106

Thin film growth, epitaxy
– by atomic layer molecular beam epitaxy
– – of aluminum arsenide 13
– – of gallium arsenide 13
– by chemical beam epitaxy
– – of indium phosphide 1
– by liquid phase electroepitaxy
– – of bulk crystals 259
– by liquid phase epitaxy
– – of barium potassium bismuthates 396
– – of gallium indium antimonide 514
– – of III–V compounds 58
– – of zinc selenide 75
– by molecular beam epitaxy
– – of cadmium mercury telluride 97
– – of cadmium zinc telluride 97
– – of gallium antimonide 37
– – of gallium arsenide 18, 275
– – of indium arsenide 18
– – of indium gallium arsenide phosphide
– – of strontium cuprate 156
– by organic molecular beam epitaxy
– – of 4-nitrobenzylidene-3-acetamono-4-methoxy-aniline 473
– by vapor phase epitaxy
– – through chemical vapor deposition
– – – of indium nitride 298
– – through metalorganic chemical vapor deposition
– – – of aluminum arsenide 5, 25
– – – of aluminum gallium arsenide 25
– – – of cadmium telluride 83
– – – of gallium arsenide 5, 25
– – – of gallium indium antimonide 284
– – – of gallium phosphide 53
– – – of indium gallium arsenide 44
– – – of zinc sulphide selenide 64
– – through pulsed laser ablation
– – – of yttrium barium copper oxide 145

Vapor growth technique
– by chemical transport
– – of erbium silicide 175
– – of lead niobium sulphide 433
– – of silicon with arsine n-type 376
– by evaporation and condensation
– – of cadmium telluride 370
– – of C_{60} 136
– – of chromium carbide 163
– – of erbium silicide 175
– – of molybdenum carbide 163
– – of strontium cuprate 156
– – of tungsten carbide 163
– by hot wall epitaxy
– – of zinc selenide 89
– by metalorganic chemical transport
– – of C_{60} 136
– theory of growth 416
– Vapor–liquid–solid growth
– of titanium carbide 171

Whisker growth
– of titanium carbide 171